



Customer: Champlain Valley Organics LLC

Address: 1916 Smith Street
Shoreham, VT 05770

Sample ID: Salve Stick - 150mg

Matrix: Topical

Labnumber: 2310180-04 Total mass or volume per unit (g or mL): 17.5767

Cannabinoid Profile

Test Conditions: 21°C

Extraction Technician: SH

Analytical Chemist: SH

Extraction
Date(s)


9/28/2023

Analysis
Date(s)

9/28/2023

| Test Method: Cannabinoid Potency by HPLC | | | Results | |
|---|------------|----------|-------------|----------|
| | LOD (mg/g) | % | mg/g | mg/Stick |
| Cannabidivarin (CBDV) | | 0.01 | 0.104 | 1.83 |
| Cannabidiolic Acid (CBD-A) | <0.10 | | | |
| Cannabigerolic Acid (CBG-A) | <0.10 | | | |
| Cannabigerol (CBG) | | 0.07 | 0.687 | 12.1 |
| Cannabidiol (CBD) | | 1.54 | 15.4 | 271 |
| Tetrahydrocannabivarin (THCV) | <0.10 | | | |
| Cannabinol (CBN) | <0.10 | | | |
| Cannabichromene (CBC) | <0.10 | | | |
| delta 9-Tetrahydrocannabinol (THC) | | 0.04 | 0.384 | 6.76 |
| delta-9-Tetrahydrocannabinolic Acid (THC-A) | <0.20 | | | |
| delta 8-Tetrahydrocannabinol | <0.20 | | | |
| (6aR,9S)-delta-10-THC | <0.20 | | | |
| (6aR,9R)-delta-10-THC | <0.20 | | | |
| Cannabinoids Total | | % | mg/g | |
| Max Active THC (delta-9-tetrahydrocannabinol) | | 0.04 | 0.38 | |
| Max Active CBD | | 1.54 | 15.40 | |
| Total Cannabinoids | | 1.66 | 16.60 | |

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty is calculated to be +/- 5% for all cannabinoids using a coverage factor of 2 (95% confidence interval). Measurement uncertainty has not been factored into reported values. Blank results indicate the compound was below the limit of detection.



Gary Brook - Laboratory Director - 9/29/2023

Reporting Limits will vary based on sample extraction weight used for the analysis.

The results of this report are based solely on the sample submitted and cannot be reproduced. Decision Rule: Measurement uncertainty is not accounted for in the reported values.

Results are based solely on calculated numbers. Altitude Consulting makes no Statements of conformity. Pesticide, metal, and microbial analyses are subcontracted to ISO 17025 laboratories.