

SHH-2024


Sample ID: BIA241011S0002 Strain: Sour Hawaiian Haze

Matrix: Plant Type: Flower - Cured Sample Size: 1 g Lot#: **Bia Diagnostics** 480 Hercules Drive Suite 101 Colchester, VT 05446 (802) 540-0148 https://www.biadiagnostics.com/ Lic# TLAB0029 QA Testing

Completed

1 of 2

Produced: Collected: Received: 10/16/2024 Completed: 10/23/2024 Batch#: Client Vermont Pure CBD Lic. # USDA_50_0004 1916 Smith Street Shoreham, VT 05770



Cannabinoids

0.76% Total THC			17.20% Total CBD	20.99% Total Cannabinoids	
Analyte	LOQ	Results	Results	Mass	
CBDVa CBDV CBDa CBGa CBG CBD THCV CBN Δ9-THC Δ9-THC Δ10-THC CBC THCa Total THC Total CBD	mg/g 0.0005 0.0012 0.0008 0.0008 0.0019 0.0019 0.0021 0.0013 0.0020 0.0019 0.0020 0.0019 0.0002 0.0002 0.0024 0.0034	% 0.09 <loq 19.22 0.48 <loq 0.35 <loq <loq <loq <loq <loq <loq 0.81 0.76 17.20</loq </loq </loq </loq </loq </loq </loq </loq 	mg/g 0.9 <loq 192.2 4.8 <loq 3.5 <loq <loq <loq <loq <loq &LOQ &LOQ &LOQ 8.1 7.58 172.01</loq </loq </loq </loq </loq </loq </loq 	mg/serving	
Total		20.99	209.89	0.00	

Analyst: 056

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR TM with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

TotalTHC=(THCAx0.877)+Δ9-THC Total CBD = (CBDA x 0.877) + CBD Reagent

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. $\Delta 9$ -THC MU = ±0.005% Total THC MU = ±0.007% All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.



ulle

Luke Emerson-Mason

Laboratory Director 10/23/2024 Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.



Completed





SHH-2024

Sample ID: BIA241011S0002 Strain: Sour Hawaiian Haze

Matrix: Plant Type: Flower - Cured Sample Size: 1 g Lot#:

Terpenes

Produced: Collected: Received: 10/16/2024 Completed: 10/23/2024 Batch#:

Bia Diagnostics

Colchester, VT 05446

480 Hercules Drive Suite 101

Client Vermont Pure CBD Lic. # USDA_50_0004 1916 Smith Street Shoreham, VT 05770

https://www.biadiagnostics.com/

(802) 540-0148

Lic# TLAB0029

/T 05770

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Myrcene	0.010	4.895	0.489
α-Pinene	0.010	4.534	0.453
Terpinolene	0.010	4.510	0.451
β-Pinene	0.010	3.345	0.334
Limonene	0.010	2.076	0.208
β-Caryophyllene	0.010	1.460	0.146
Ocimene	0.010	1.132	0.113
3-Carene	0.010	0.925	0.093
α-Humulene	0.010	0.530	0.053
Guaiol	0.010	0.454	0.045
α-Terpinene	0.010	0.411	0.041
Linalool	0.010	0.410	0.041
y-Terpinene	0.010	0.396	0.040
Eucalyptol	0.010	0.143	0.014
α-Bisabolol	0.010	0.090	0.009
cis-Nerolidol	0.010	0.050	0.005
Camphene	0.010	0.048	0.005
Caryophyllene Oxide	0.010	0.026	0.003
Geraniol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Isopulegol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
p-Cymene	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
trans-Nerolidol	0.010	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Total		25.436	2.544

Primary Aromas

\$	ŧ	Ó		M
Hops	Pine	Turpentine	Orange	Cinnamon

Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.



M W C Luke Emerson-Mason

Laboratory Director

10/23/2024

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.